

| Lye Valley flowering plants and algae LNR/LWS/SSSI | to 30.01.2024             | J A Webb                       | North and South Fens |
|----------------------------------------------------|---------------------------|--------------------------------|----------------------|
|                                                    |                           | habitat/part of site           |                      |
| <i>Acer pseudoplatanus</i>                         | sycamore                  | banks                          | planted              |
| <i>Acer campestre</i>                              | field maple               | banks                          | planted              |
| <i>Achillea millefolium</i>                        | yarrow                    | Slade entrance                 |                      |
| <i>Aegopodium podagraria</i>                       | Ground Elder              | bank                           |                      |
| <i>Aesculus hippocastanum</i>                      | horse chestnut            | bank                           | planted              |
| <i>Agrostis stolonifera</i>                        | creeping bent grass       | fen                            |                      |
| <i>Ajuga reptans</i>                               | bugle                     | fen                            |                      |
| <i>Alliaria petiolata</i>                          | garlic mustard            | Slade entrance, dry banks      |                      |
| <i>Alopecurus pratensis</i>                        | meadow foxtail            | head of valley old fen         | rae                  |
| <i>Anagallis tenella</i>                           | bog pimpernel             | fen                            |                      |
| <i>Angelica sylvestris</i>                         | wild angelica             | fen                            |                      |
| <i>Anisantha sterilis</i>                          | barren brome              | banks                          |                      |
| <i>Anthoxanthum odoratum</i>                       | sweet vernal grass        | fen                            |                      |
| <i>Anthriscus sylvestris</i>                       | cow parsley               | Slade entrance                 |                      |
| <i>Arctium minus</i>                               | lesser burdock            | dry banks                      |                      |
| <i>Armoracia rusticana</i>                         | horseradish               | Slade entrance                 | relic of allotment   |
| <i>Arrhenatherum elatius</i>                       | false oat grass           | dry banks, east fen            |                      |
| <i>Artemisia vulgaris</i>                          | mugwort                   | Slade entrance                 |                      |
| <i>Arum maculatum</i>                              | cuckoo pint               | dry banks                      |                      |
| <i>Asplenium scolopendrium</i>                     | hart's tongue fern        | shaded banks & under boardwalk |                      |
| <i>Aster sp.cf nova belgii</i>                     | michaelmas daisy          | fen                            |                      |
| <i>Ballota nigra</i>                               | black horehound           | Slade entrance                 |                      |
| <i>Barbarea vulgaris</i>                           | winter cress              | fen                            |                      |
| <i>Bellis perennis</i>                             | common daisy              | fen restoration area           |                      |
| <i>Berula erecta</i>                               | lesser water-parsnip      | fen                            | rare                 |
| <i>Betula pendula</i>                              | silver birch              | Slade entrance                 |                      |
| <i>Briza media</i>                                 | quaking grass             | fen                            |                      |
| <i>Bryonia dioica</i>                              | white bryony              | bank                           |                      |
| <i>Buddleja davidii</i>                            | buddleia                  | bank                           |                      |
| <i>Calamagrostis epigejos</i>                      | wood small reed           | fen                            |                      |
| <i>Callitriche sp</i>                              | water starwort            | pond                           |                      |
| <i>Caltha palustris</i>                            | marsh marigold            | ponds                          |                      |
| <i>Calystegia sepium ssp sepium</i>                | hedge bindweed            | fen areas                      |                      |
| <i>Calystegia silvatica</i>                        | large bindweed            | along stream banks             |                      |
| <i>Cardamine flexuosa</i>                          | wavy bittercress          | fen                            |                      |
| <i>Cardamine pratense</i>                          | cuckoo flower             | fen                            |                      |
| <i>Carex acuta</i>                                 | slender tufted sedge      | fen                            |                      |
| <i>Carex acutiformis</i>                           | lesser pond sedge         | fen                            |                      |
| <i>Carex dioica</i>                                | dioecious sedge           | fen                            | male & female        |
| <i>Carex distans</i>                               | distant sedge             | fen restoration area           |                      |
| <i>Carex disticha</i>                              | brown sedge               | fen                            |                      |
| <i>Carex flacca</i>                                | glaucous sedge            | fen                            |                      |
| <i>Carex hirta</i>                                 | hairy sedge               | fen                            |                      |
| <i>Carex hostiana</i>                              | tawny sedge               | fen                            | v rare               |
| <i>Carex lepidocarpa</i>                           | long stalked yellow sedge | fen                            |                      |
| <i>Carex nigra</i>                                 | common or black sedge     | fen                            |                      |
| <i>Carex otrubae</i>                               | false fox sedge           | fen                            |                      |
| <i>Carex panicea</i>                               | carnation sedge           | fen                            |                      |
| <i>Carex paniculata</i>                            | greater tussock sedge     | fen                            |                      |
| <i>Carex pendula</i>                               | pendulous sedge           | fen                            |                      |
| <i>Carex pseudocyperus</i>                         | hop sedge                 | pond                           |                      |
| <i>Carex pulicaris</i>                             | flea sedge                | fen                            | v rare               |
| <i>Carex remota</i>                                | remote sedge              | fen                            |                      |
| <i>Carex riparia</i>                               | greater pond sedge        | fen, ponds                     |                      |
| <i>Carex rostrata</i>                              | bottle sedge              | fen                            |                      |
| <i>Carex sylvatica</i>                             | wood sedge                | fen, banks                     |                      |
| <i>Carex vesicaria</i>                             | bladder sedge             | pond                           | re-introduction      |
| <i>Carex x fulva (hostiana x lepidocarpa)</i>      | hybrid sedge              | fen                            | rare                 |
| <i>Catapodium rigidum</i>                          | fern grass                | banks                          |                      |
| <i>Centaurea nigra var radiata</i>                 | knapweed                  | Slade entrance                 | introduced           |
| <i>Centaurea scabiosa</i>                          | greater knapweed          | Slade entrance                 | introduced           |
| <i>Cerastium fontanum</i>                          | mouse ear                 | fen restoration area           |                      |
| <i>Chaerophyllum temulum</i>                       | rough chervil             | dry banks                      |                      |
| <i>Chamerion angustifolium</i>                     | rosebay willow herb       | brook banks                    |                      |
| <i>Chara hispida</i>                               | bristly stonewort         | ponds                          |                      |
| <i>Chara vulgaris</i>                              | common stonewort          | fen, ponds                     |                      |
| <i>Circaea lutetiana</i>                           | enchanter's nightshade    | dry banks                      |                      |

|                                         |                               |                      |                     |
|-----------------------------------------|-------------------------------|----------------------|---------------------|
| <i>Cirsium arvense</i>                  | creeping thistle              | fen                  |                     |
| <i>Cirsium dissectum</i>                | meadow thistle                | fen                  | v rare              |
| <i>Cirsium palustre</i>                 | marsh thistle                 | fen                  |                     |
| <i>Cirsium vulgare</i>                  | spear thistle                 | Slade entrance       |                     |
| <i>Clematis vitalba</i>                 | wild clematis                 | dry banks            |                     |
| <i>Conium maculatum</i>                 | hemlock                       | fen restoration area |                     |
| <i>Convolvulus arvensis</i>             | field bindweed                | dry banks            |                     |
| <i>Conyza sp.</i>                       | a fleabane                    | dry banks            |                     |
| <i>Cornus sanguinea</i>                 | dogwood                       | edge of brook        |                     |
| <i>Corylus avellana</i>                 | hazel                         | bank                 | planted             |
| <i>Crataegus crus-galli</i>             | cockspur thorn                | footpath 80 edge     | planted             |
| <i>Crataegus monogyna</i>               | common hawthorn               | banks                |                     |
| <i>Crepis biennis</i>                   | rough hawkbit                 | bank                 |                     |
| <i>Cyperus longus</i>                   | galingale                     | pond                 | introduced          |
| <i>Cytisus scoparius</i>                | broom                         | head of valley       | planted             |
| <i>Dactylis glomerata</i>               | cocksfoot                     | fen, banks           |                     |
| <i>Dactylorhiza fuchsii</i>             | common spotted orchid         | fen                  |                     |
| <i>Dactylorhiza incarnata pulchella</i> | early marsh orchid            | fen                  | dent by Ian Denholm |
| <i>Daphne laureola</i>                  | Spurge laurel                 | dry banks            |                     |
| <i>Daucus carota</i>                    | wild carrot                   | dry banks            |                     |
| <i>Deschampsia cespitosa</i>            | tufted hair-grass             | fen, banks to fen    |                     |
| <i>Dipsacus fullonum</i>                | teasel                        | fen                  |                     |
| <i>Dryopteris dilatata</i>              | broad buckler fern            | dry banks            |                     |
| <i>Dryopteris filix mas</i>             | male fern                     | dry banks            |                     |
| <i>Eleocharis quinqueflora</i>          | few-flowered spike-rush       | fen                  |                     |
| <i>Elymus caninus</i>                   | bearded couch grass           | banks to fen         |                     |
| <i>Elymus repens</i>                    | couch grass                   | Slade entrance       |                     |
| <i>Epilobium hirsutum</i>               | great willow herb             | fen                  |                     |
| <i>Epilobium montanum</i>               | broad leaved willow-herb      | dry banks            |                     |
| <i>Epilobium parviflorum</i>            | hoary willow-herb             | fen                  |                     |
| <i>Epilobium tetragonum</i>             | square-stalked willow-herb    | fen                  |                     |
| <i>Epipactis palustris</i>              | marsh helleborine             | fen                  |                     |
| <i>Equisetum arvense</i>                | field horsetail               | fen                  |                     |
| <i>Equisetum palustre</i>               | marsh horsetail               | fen                  |                     |
| <i>Erigeron acer</i>                    | blue fleabane                 | bank                 |                     |
| <i>Eriophorum angustifolium</i>         | common cotton grass           | fen                  |                     |
| <i>Eriophorum latifolium</i>            | broad-leaved cotton grass     | fen                  |                     |
| <i>Euonymus europaeus</i>               | spindle                       | head of valley       | planted             |
| <i>Eupatorium cannabinum</i>            | hemp agrimony                 | fen                  |                     |
| <i>Euphorbia helioscopia</i>            | sun spurge                    | bank                 |                     |
| <i>Fagus sylvatica</i>                  | beech                         | bank                 | 1 tree, planted     |
| <i>Fallopia japonica</i>                | japanese knotweed             | banks                | now rare            |
| <i>Festuca gigantea</i>                 | giant fescue                  | fen                  |                     |
| <i>Festuca rubra</i>                    | red fescue                    | fen                  |                     |
| <i>Ficaria verna</i>                    | lesser celandine              | fen edge             |                     |
| <i>Filipendula ulmaria</i>              | meadowsweet                   | fen                  |                     |
| <i>Fragaria vesca</i>                   | wild strawberry               | dry banks            |                     |
| <i>Fraxinus excelsior</i>               | ash                           | dry banks            |                     |
| <i>Galeopsis tetrahit</i>               | common hemp nettle            | fen                  |                     |
| <i>Galium aparine</i>                   | cleavers                      | banks                |                     |
| <i>Galium uliginosum</i>                | fen bedstraw                  | fen                  |                     |
| <i>Galium verum</i>                     | lady's bedstraw               | Slade entrance       |                     |
| <i>Geranium molle</i>                   | dove's foot cranes bill       | slade entrance       |                     |
| <i>Geranium robertianum</i>             | herb robert                   | dry banks            |                     |
| <i>Geum urbanum</i>                     | wood avens                    | dry banks            |                     |
| <i>Glechoma hederacea</i>               | ground ivy                    | banks                |                     |
| <i>Glyceria maxima</i>                  | reed sweet grass              | one pond             | introduced          |
| <i>Glyceria notata</i>                  | plicate sweet grass           | fen, ponds           |                     |
| <i>Hedera helix</i>                     | ivy                           | banks, on trees      |                     |
| <i>Helminthotheca echioides</i>         | bristly ox-tongue             | dry bank             |                     |
| <i>Helosciadium nodiflorum</i>          | fool's watercress             | fen, brook           |                     |
| <i>Helosciadium repens</i>              | creeping marshwort            | fen by ponds         | re-introduced       |
| <i>Heracleum sphondylium</i>            | hogweed                       | fen banks            |                     |
| <i>Holcus lanatus</i>                   | Yorkshire Fog                 | fen                  |                     |
| <i>Hydrocotyle vulgaris</i>             | marsh pennywort               | fen                  |                     |
| <i>Hypericum tetrapterum</i>            | square stalked St John's wort | fen                  |                     |
| <i>Hypochoeris radicata</i>             | cat's ear                     | fen restoration area | rare                |
| <i>Ilex aquifolium</i>                  | holly                         | dry banks            |                     |
| <i>Impatiens parviflora</i>             | small balsam                  | brook banks          | rare                |

|                                   |                             |                           |            |
|-----------------------------------|-----------------------------|---------------------------|------------|
| <i>Inula conyza</i>               | ploughman's spikeneard      | Slade entrance            |            |
| <i>Iris pseudacorus</i>           | yellow flag iris            | fen, ponds                |            |
| <i>Isolepis setacea</i>           | bristle club rush           | fen                       |            |
| <i>Jacobaea erucifolia</i>        | hoary ragwort               | fen                       |            |
| <i>Jacobaea vulgaris</i>          | common ragwort              | dry banks                 |            |
| <i>Juncus articulatus</i>         | jointed rush                | fen                       |            |
| <i>Juncus bufonius</i>            | toad rush                   | fen restoration area      |            |
| <i>Juncus bulbosus</i>            | bulbous rush                | fen                       | v rare     |
| <i>Juncus effusus</i>             | soft rush                   | fen                       |            |
| <i>Juncus inflexus</i>            | hard rush                   | fen                       |            |
| <i>Juncus subnodulosus</i>        | blunt flowered rush         | fen                       |            |
| <i>Knautia arvensis</i>           | field scabious              | Slade entrance            | introduced |
| <i>Lactuca serriola</i>           | prickly lettuce             | dry banks                 |            |
| <i>Lamium album</i>               | white dead nettle           | Slade entrance            |            |
| <i>Lapsana communis</i>           | nipplewort                  | dry banks                 |            |
| <i>Lathyrus pratensis</i>         | meadow vetchling            | fen margin                |            |
| <i>Lemna minor</i>                | lesser duckweed             | pond                      |            |
| <i>Leontodon taraxacoides</i>     | lesser hawkbit              | fen restoration area      |            |
| <i>Leucanthemum vulgare</i>       | oxeye daisy                 | slade entrance, dry banks |            |
| <i>Ligustrum vulgare</i>          | wild privet                 | bank                      |            |
| <i>Linaria purpurea</i>           | purple toadflax             | Slade entrance            | 1plant     |
| <i>Lolium perenne</i>             | perennial rye grass         | slade entrance            |            |
| <i>Lonicera nitida</i>            | Wilson's honeysuckle        | bank                      | 1 bush     |
| <i>Lonicera periclymenum</i>      | wild honeysuckle            | dry banks                 | rare       |
| <i>Lotus corniculatus</i>         | common bird's foot trefoil  | Slade entrance            |            |
| <i>Lotus pedunculatus</i>         | greater bird's foot trefoil | fen                       |            |
| <i>Lysimachia vulgaris</i>        | yellow loosestrife          | fen                       | rare       |
| <i>Lythrum salicaria</i>          | purple loosestrife          | fen                       |            |
| <i>Malus domestica</i>            | domestic apple              | dry banks                 | planted    |
| <i>Malus sp</i> hybrid crab apple | hybrid crab apple           | dry bank                  |            |
| <i>Malva sylvestris</i>           | common mallow               | dry banks                 |            |
| <i>Medicago lupulina</i>          | black medick                | dry banks                 |            |
| <i>Medicago sativa</i>            | lucerne                     | Slade entrance            |            |
| <i>Melilotus sp</i>               | a melilot                   | bank                      |            |
| <i>Mentha aquatica</i>            | water mint                  | fen                       |            |
| <i>Menyanthes trifoliata</i>      | bog bean                    | fen , north and south     |            |
| <i>Molinia caerulea</i>           | purple moor grass           | fen                       |            |
| <i>Mycelis muralis</i>            | wall lettuce                | fen restoration area      | 1 plant    |
| <i>Myosoton aquaticum</i>         | water chickweed             | fen restoration area      |            |
| <i>Nasturtium microphyllum</i>    | narrow fruited watercress   | fen                       |            |
| <i>Nasturtium officinale</i>      | common watercress           | fen                       |            |
| <i>Neottia ovata</i>              | twayblade                   | fen                       | rare       |
| <i>Odontites verna</i>            | red bartsia                 | Slade entrance            |            |
| <i>Oenanthe lachenalii</i>        | parsley water-dropwort      | fen                       |            |
| <i>Origanum vulgare</i>           | marjoram                    | Slade entrance            |            |
| <i>Papaver dubium</i>             | long headed poppy           | Slade entrance            |            |
| <i>Papaver rhoeas</i>             | common poppy                | slade entrance            |            |
| <i>Parnassia palustris</i>        | grass of Parnassus          | fen                       |            |
| <i>Pastenaca sativa</i>           | wild parsnip                | dry banks                 |            |
| <i>Pedicularis palustris</i>      | marsh lousewort             | fen                       |            |
| <i>Pentaglottis sempervirens</i>  | green alkanet               | dry banks                 |            |
| <i>Persicaria amphibia</i>        | amphibious bistort          | fen                       |            |
| <i>Persicaria lapathifolia</i>    | pale persicaria             | near ponds                |            |
| <i>Persicaria maculosa</i>        | redshank                    | disturbed soil near pond  |            |
| <i>Phleum pratense</i>            | timothy                     | fen edge                  |            |
| <i>Phragmites australis</i>       | common reed                 | fen                       |            |
| <i>Pinguicula vulgaris</i>        | butterwort                  | fen                       | rare       |
| <i>Plantago lanceolata</i>        | ribwort plantain            | Slade entrance, dry banks |            |
| <i>Plantago major</i>             | greater plantain            | banks, paths              |            |
| <i>Poa annua</i>                  | annual meadow grass         | path, fen                 |            |
| <i>Poa trivialis</i>              | rough meadow-grass          | fen                       |            |
| <i>Polygonum aviculare</i>        | knotgrass                   | Slade entrance            |            |
| <i>Populus sp</i>                 | hybrid black poplar         | border with Churchill hos | planted    |
| <i>Potamogeton crispus</i>        | curled pondweed             | brook, ponds              |            |
| <i>Potentilla anserina</i>        | silverweed                  | fen                       |            |
| <i>Potentilla erecta</i>          | tormentil                   | fen                       |            |
| <i>Potentilla reptans</i>         | cinquefoil                  | dry grassland             |            |
| <i>Primula veris</i>              | cowslip                     | Slade entrance            | introduced |
| <i>Primula vulgaris</i>           | primrose                    | bank of brook             | 1 plant    |

|                                                                       |                              |                            |                    |
|-----------------------------------------------------------------------|------------------------------|----------------------------|--------------------|
| <i>Prunella vulgaris</i>                                              | self heal                    | fen edge                   |                    |
| <i>Prunus avium</i>                                                   | wild cherry                  | dry banks                  | planted            |
| <i>Prunus cerasifera</i>                                              | cherry plum                  | Slade entrance             | planted            |
| <i>Prunus</i> sp.                                                     | golden gage plum             | bank                       | planted            |
| <i>Prunus spinosa</i>                                                 | blackthorn                   | banks                      |                    |
| <i>Pulicaria dysenterica</i>                                          | common fleabane              | fen restoration area       |                    |
| <i>Quercus pedunculatus</i>                                           | pedunculate oak              | bank                       | planted            |
| <i>Ranunculus acris</i>                                               | meadow buttercup             | fen                        |                    |
| <i>Ranunculus bulbosus</i>                                            | bulbous buttercup            | Slade entrance             |                    |
| <i>Ranunculus flammula</i>                                            | lesser spearwort             | fen                        |                    |
| <i>Ranunculus repens</i>                                              | creeping buttercup           | fen                        |                    |
| <i>Ranunculus sceleratus</i>                                          | celery-leaved crowfoot       | fen                        |                    |
| <i>Reseda luteola</i>                                                 | weld                         | Slade entrance             |                    |
| <i>Rhamnus cathartica</i>                                             | purging buckthorn            | dry banks                  | planted            |
| <i>Rhinanthus minor</i>                                               | yellow rattle                | Slade entrance             | introduced         |
| <i>Ribes nigrum</i>                                                   | blackcurrant                 | dry bank                   | 1 plant            |
| <i>Ribes rubrum</i>                                                   | redcurrant                   | dry banks                  |                    |
| <i>Ribes uva-crispa</i>                                               | gooseberry                   | dry banks                  | garden esc.        |
| <i>Rosa arvensis</i>                                                  | field rose                   | bank                       |                    |
| <i>Rosa canina</i>                                                    | dogrose                      | bank                       |                    |
| <i>Rosa</i> sp. semi double rambler                                   | rosa semi double rambler     | fen, brook edge            | historic planting? |
| <i>Rosa squarrosa</i>                                                 |                              | head of valley             |                    |
| <i>Rosa</i> x <i>gremlii</i> ( <i>micrantha</i> x <i>rubiginosa</i> ) | hybrid sweet briar           | head of valley             | 1 bush             |
| <i>Rosa</i> x <i>insignia</i>                                         | hybrid rose                  | head of valley             |                    |
| <i>Rubus cespitosus</i>                                               | dewberry                     | dry banks                  |                    |
| <i>Rubus</i> cf. <i>armeniacus</i>                                    | himalayan giant blackberry   | banks                      |                    |
| <i>Rubus fruticosus</i> agg.                                          | bramble                      | dry banks                  |                    |
| <i>Rubus idaeus</i>                                                   | raspberry                    | dry banks                  |                    |
| <i>Rumex obtusifolius</i>                                             | broad leaved dock            | Slade entrance             |                    |
| <i>Rumex sanguineus</i>                                               | wood dock                    | Slade entrance             |                    |
| <i>Salix alba</i>                                                     | white willow                 | fen                        | planted            |
| <i>Salix aurita</i>                                                   | eared willow                 | fen                        | female only        |
| <i>Salix cinerea</i>                                                  | grey willow                  | fen                        |                    |
| <i>Salix fragilis</i>                                                 | crack willow                 | fen                        | planted            |
| <i>Salix purpurea</i>                                                 | purple willow                | fen, stream bank           | planted            |
| <i>Sambucus nigra</i>                                                 | elder                        | banks                      |                    |
| <i>Saponaria officinalis</i>                                          | soapwort                     | slade entrance             |                    |
| <i>Schedonorus arundinaceus</i>                                       | tall fescue                  | fen                        |                    |
| <i>Schedonorus pratensis</i>                                          | meadow fescue                | fen                        |                    |
| <i>Schoenus nigricans</i>                                             | black bog-rush               | fen                        | very rare          |
| <i>Scrophularia auriculata</i>                                        | water figwort                | fen                        |                    |
| <i>Senecio vulgaris</i>                                               | groundsel                    | fen restoration area       |                    |
| <i>Silene dioica</i>                                                  | red campion                  | Slade entrance             | introduced         |
| <i>Silene flos-cuculi</i>                                             | ragged robin                 | fen                        |                    |
| <i>Sium latifolium</i>                                                | greater water parsnip        | pond                       | introduced         |
| <i>Solanum dulcamara</i>                                              | woody nightshade             | fen, banks                 |                    |
| <i>Solanum nigrum</i>                                                 | black nightshade             | fen restoration area       |                    |
| <i>Sonchus arvensis</i>                                               | perennial sow thistle        | dry banks                  |                    |
| <i>Sonchus asper</i>                                                  | prickly sow thistle          | fen restoration area       |                    |
| <i>Sonchus oleraceus</i>                                              | smooth sow-thistle           | fen restoration area       |                    |
| <i>Sorbus</i> sp.                                                     | a rowan                      | bank                       | planted            |
| <i>Stachys palustris</i>                                              | marsh woundwort              | fen                        |                    |
| <i>Stachys sylvatica</i>                                              | hedge woundwort              | drier banks                |                    |
| <i>Succisa pratensis</i>                                              | devil's bit scabious         | fen                        |                    |
| <i>Symphytum officinale</i>                                           | comfrey                      | fen                        | rare               |
| <i>Taraxacum</i> sp.                                                  | dandelion                    | fen                        |                    |
| <i>Taxus baccata</i>                                                  | yew                          | dry banks                  |                    |
| <i>Tilia cordata</i>                                                  | small-leaved lime            | banks                      | planted            |
| <i>Torilis japonica</i>                                               | upright hedge-parsley        | dry banks                  |                    |
| <i>Trifolium pratense</i>                                             | red clover                   | Slade entrance             |                    |
| <i>Trifolium repens</i>                                               | white clover                 | Slade entrance, fen margin |                    |
| <i>Triglochin palustre</i>                                            | marsh arrow-grass            | fen                        |                    |
| <i>Tussilago farfara</i>                                              | coltsfoot                    | fen restoration area       |                    |
| <i>Typha latifolia</i>                                                | bulrush/greater reed mace    | fen rare                   |                    |
| <i>Ulex europaeus</i>                                                 | gorse                        | head of valley             | planted            |
| <i>Ulmus minor</i> var <i>Ademuz</i>                                  | field elm, disease resistant | bank                       | planted            |
| <i>Ulmus procera</i>                                                  | English elm                  | bank                       | dying              |
| <i>Urtica dioica</i>                                                  | common nettle                | banks                      |                    |
| <i>Valeriana dioica</i>                                               | marsh valerian               | fen                        |                    |
| <i>Valeriana officinalis</i>                                          | common valerian              | fen                        |                    |

|                              |                      |                |                      |
|------------------------------|----------------------|----------------|----------------------|
| <i>Verbascum nigrum</i>      | dark mullein         | dry banks      | introduced           |
| <i>Verbascum thapsus</i>     | great mullein        | dry banks      |                      |
| <i>Veronica beccabunga</i>   | brooklime            | fen            |                      |
| <i>Veronica hederacea</i>    | ivy leaved speedwell | bank           |                      |
| <i>Viburnum opulus</i>       | guelder rose         | bank           | planted              |
| <i>Vicia cracca</i>          | tufted vetch         | fen            |                      |
| <i>Vicia sativa</i>          | common vetch         | head of valley |                      |
| <i>Vicia sepium</i>          | bush vetch           | dry banks      | introduced north fen |
| <i>Viola hirta</i>           | hairy violet         | Slade entrance | rare                 |
| <i>Viola odorata</i>         | sweet violet         | bank           | rare                 |
| <i>Viola reichenbachiana</i> | early dog violet     | banks          |                      |
| <i>Vitis vinifera</i>        | vine                 | dry bank       | 3 old plants         |